



CATTLE VACCINE PRODUCT GUIDE



| CATTLE VACCINES | IBR | BVD 1 | BVD 2 Strain | PI3 | BRSV | Klebsiella Pneumoniae | Lepto 5-way | Lepto Hardjo-bovis | Vibro (campylobacter) | Histophilus somni | Pasteurella Multocida | Mannheimia Haemolytica | E.Coli | Coronavirus | Trueperella pyogenes | Bovine Rotavirus | Salmonella | Clostridium perfringens ** | Clostridium 7-way | Clostridium sordellii | Tetanus Antitoxin | Tetanus Toxoid | Mycoplasma Bovis | Moraxella Bovis-Pinkeye | Fusobacterium (Foot Rot) | Staph Aureus | Gram Positive (+) or Gram Negative (-) | | |
|---------------------------------------|-----|-------|--------------|-----|------|-----------------------|-------------|--------------------|-----------------------|-------------------|-----------------------|------------------------|--------|-------------|----------------------|------------------|------------|----------------------------|-------------------|-----------------------|-------------------|----------------|------------------|-------------------------|--------------------------|--------------|--|---|-----|
| Alpha 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | + | S | |
| Alpha-7/MB-1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | C,S |
| Alpha CD | | | | | | | | | | | | | | | | | | | | | | | | | | | | + | S |
| Amplimune | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | C |
| Bar-Guard 99 | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | C |
| Bar Somnus 2P | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | C,S |
| Bar Vac 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | + | S |
| Bar Vac CD | | | | | | | | | | | | | | | | | | | | | | | | | | | | + | S |
| Bar Vac 7/Somnus | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | S |
| Bar Vac CD/T | | | | | | | | | | | | | | | | | | | | | | | | | | | | + | S |
| Bo-Bac 2X | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | C |
| Bovilis Coronavirus | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | C |
| Bovilis J-5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | S |
| Bovi-Sera | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | S |
| Bovi-Shield Gold 5 | M | M | M | M | M | | | | | | | | | | | | | | | | | | | | | | | - | N* |
| Bovi-Shield Gold BVD | | M | M | | | | | | | | | | | | | | | | | | | | | | | | | - | S |
| Bovi-Shield Gold FP 5 | M | M | M | M | M | | | | | | | | | | | | | | | | | | | | | | | - | N* |
| Bovi-Shield Gold FP 5+L5 | M | M | M | M | M | | | | | | | | | | | | | | | | | | | | | | | - | N* |
| Bovi-Shield Gold FP 5+L5 HB | M | M | M | M | M | | | | | | | | | | | | | | | | | | | | | | | - | N* |
| Bovi-Shield Gold FP 5+VL5 | M | M | M | M | M | | | | | | | | | | | | | | | | | | | | | | | - | N* |
| Bovi-Shield Gold One Shot | M | M | M | M | M | | | | | | | | | | | | | | | | | | | | | | | - | C,N |
| C & D Antitoxin | | | | | | | | | | | | | | | | | | | | | | | | | | | | + | S |
| Calf-Guard | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | C,S |
| Caliber 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | + | S |
| Cavalry 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | + | C |
| CattleMaster 4 VL5 | M | K | | M | M | | | | | | | | | | | | | | | | | | | | | | | - | N* |
| CattleMaster Gold FP 5 | M | K | K | M | M | | | | | | | | | | | | | | | | | | | | | | | - | C,S |
| CattleMaster Gold FP 5 L5 | M | K | K | M | M | | | | | | | | | | | | | | | | | | | | | | | - | C,S |
| Citadel L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | C,S |
| Clostratox BCD | | | | | | | | | | | | | | | | | | | | | | | | | | | | + | S |
| Clostratox Ultra C1300 | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | C |
| Clostridium perfringens Type A Toxoid | | | | | | | | | | | | | | | | | | | | | | | | | | | | + | S |
| Covexin 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | + | S |
| Endovac-Dairy | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | S |
| Entervene-D | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | C |
| Enviracor J-5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | S |
| Express 5 | M | M | M | M | M | | | | | | | | | | | | | | | | | | | | | | | - | N |
| Express FP 10 | M | M | M | M | M | | | | | | | | | | | | | | | | | | | | | | | - | N |
| Fusogard | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | S |
| Guardian | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | S |
| Inforce 3 | M | | | M | M | | | | | | | | | | | | | | | | | | | | | | | - | C,S |
| I-Site XP | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | S |
| J-Vac | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | S |
| KlebVax | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | S |
| Leptoferm-5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | S |
| Lepto Shield 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | S |
| Lysigin | | | | | | | | | | | | | | | | | | | | | | | | | | | | + | S |
| Master Guard 10 HB | K | M | M | M | M | | | | | | | | | | | | | | | | | | | | | | | - | S |
| Maxi/Guard Pinkeye Bacterin | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | C,S |
| Moraxella Bovoculi Bacterin | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | C,S |
| Mycobac B | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | S |
| Nasalgen IP | M | | | M | | | | | | | | | | | | | | | | | | | | | | | | - | S |

DETECT. DEFEND. DELIVER.

CATTLE VACCINE PRODUCT GUIDE



| CATTLE VACCINES | IBR | BVD 1 | BVD 2 Strain | PI3 | BRSV | Lepto 5-way | Lepto Hardjo-bovis | Vibro (campylobacter) | Histophilus somni | Pasteurella Multocida | Mannheimia Haemolytica | E.Coli | Coronavirus | Trueperella pyogenes | Bovine Rotavirus | Salmonella | Clostridium perfringens ** | Clostridium 7-way | Clostridium sordelli | Tetanus Antitoxin | Tetanus Toxiod | Mycoplasma Bovis | Moraxella Bovis-Pinkeye | Fusobacterium (Foot Rot) | Staph Aureus | Gram Positive (+) or Gram Negative (-) |
|----------------------------------|-----|-------|--------------|-----|------|-------------|--------------------|-----------------------|-------------------|-----------------------|------------------------|--------|-------------|----------------------|------------------|------------|----------------------------|-------------------|----------------------|-------------------|----------------|------------------|-------------------------|--------------------------|--------------|--|
| Nuplura PH | | | | | | | | | | K | | | | | | | | | | | | | | | | N |
| Ocu-Guard MB-1 | | | | | | | | | | | | | | | | | | | | | | | K | | | S |
| Once PMH IN | | | | | | | | | | M | M | | | | | | | | | | | | | | | C, S |
| Once PMH SQ | | | | | | | | | | M | M | | | | | | | | | | | | | | | C, S |
| One Shot | | | | | | | | | | K | | | | | | | | | | | | | | | | S |
| One Shot BVD | | M | M | | | | | | | K | | | | | | | | | | | | | | | | S |
| One Shot Ultra 7 | | | | | | | | | | K | | | | | | | | K | | | | | | | | S |
| Piliguard Pinkeye-1 Trivalent | | | | | | | | | | | | | | | | | | | | | | | K | | | C, S |
| Pinkeye Shield XT4 | | | | | | | | | | | | | | | | | | | | | | | K | | | S |
| PregGuard Gold FP10 | M | M | M | | K | | K | | | | | | | | | | | | | | | | | | | S |
| Presponse HM | | | | | | | | | | K | K | | | | | | | | | | | | | | | S |
| Presponse SQ | | | | | | | | | | | | | | | | | | | | | | | | | | S |
| Pulmo-Guard PH-M 1 | | | | | | | | | | K | K | | | | | | | | | | | | | | | S |
| Pyramid 5 | M | M | M | M | M | | | | | | | | | | | | | | | | | | | | | N* |
| Pyramid 5 + Presponse SQ | M | M | M | M | M | | | | | K | | | | | | | | | | | | | | | | S |
| Pyramid 10 | M | M | M | M | M | K | | | | | | | | | | | | | | | | | | | | N* |
| ReproSTAR L5 HB | | | | | | K | K | | | | | | | | | | | | | | | | | | | S |
| Salmonella Dublin-Typh. Bacertin | | | | | | | | | | | | | | | | | K | | | | | | | | | S |
| Salmonella Newport - SRP | | | | | | | | | | | | | | | | | K | | | | | | | | | S |
| Scourguard 4K | | | | | | | | | | K | K | K | | | | | | | | | | | | | | S |
| Scourguard 4KC | | | | | | | | | | K | K | K | | | | | K | | | | | | | | | S |
| Scour Bos 4 | | | | | | | | | | | K | K | | | | | | | | | | | | | | S |
| Scour Bos 9 | | | | | | | | | | K | K | K | | | | | K | | | | | | | | | S |
| SolidBac Pinkeye IR/PR | | | | | | | | | | | | | | | | | | | | | | | K | | | S |
| Somnu Shield | | | | | | | | | K | | | | | | | | | | | | | | | | | S |
| Spirovac | | | | | | | | | K | | | | | | | | | | | | | | | | | S |
| Spirovac L5 | | | | | | K | K | | | | | | | | | | | | | | | | | | | S |
| Tetanus Antitoxin | | | | | | | | | | | | | | | | | | | | K | | | | | | S |
| Tetanus Toxiod | | | | | | | | | | | | | | | | | | | | | K | | | | | S |
| Titanium 5 | M | M | M | M | M | | | | | | | | | | | | | | | | | | | | | N |
| Titanium 5+L5 HB | M | M | M | M | M | K | K | | | | | | | | | | | | | | | | | | | N |
| Triangle 5 | K | K | K | K | K | | | | | | | | | | | | | | | | | | | | | S |
| Triangle 10 HB | K | K | K | K | K | K | K | | | | | | | | | | | | | | | | | | | S |
| TSV-2 | M | | | M | | | | | | | | | | | | | | | | | | | | | | C, S |
| Ultrabac 7 | | | | | | | | | | | | | | | | | | | K | | | | | | | S |
| Ultrabac 7/Somubac | | | | | | | | | K | | | | | | | | | | K | | | | | | | S |
| Ultrabac 8 | | | | | | | | | | | | | | | | | | | K | K | | | | | | S |
| Ultrabac CD | | | | | | | | | | | | | | | | | | K | | | | | | | | S |
| UltraChoice 7 | | | | | | | | | | | | | | | | | | | K | | | | | | | S |
| UltraChoice 8 | | | | | | | | | | | | | | | | | | | K | K | | | | | | S |
| Vira Shield 6 | K | K | K | K | K | | | | | | | | | | | | | | | | | | | | | S |
| Vira Shield 6+L5 | K | K | K | K | K | K | | | | | | | | | | | | | | | | | | | | S |
| Vira Shield 6+L5 HB | K | K | K | K | K | K | K | | | | | | | | | | | | | | | | | | | S |
| Vira Shield 6+L5 HB Somnus | K | K | K | K | K | K | K | K | | | | | | | | | | | | | | | | | | S |
| Vira Shield 6+VL5 | K | K | K | K | K | K | K | | | | | | | | | | | | | | | | | | | S |
| Vision 7 (w/ Spur) | | | | | | | | | | | | | | | | | | | K | | | | | | | S |
| Vision 7 Somnus (w/Spur) | | | | | | | | | K | | | | | | | | | | K | | | | | | | S |
| 20/20 Vision 7 | | | | | | | | | | | | | | | | | | | K | | | | K | | | S |
| Vision 8 (W/Spur) | | | | | | | | | | | | | | | | | | | K | K | | | | | | S |
| Vision 8 Somnus (w/Spur) | | | | | | | | | K | | | | | | | | | | K | K | | | | | | S |
| Vision CD/T | | | | | | | | | | | | | | | | | | K | | | K | | | | | S |
| Vista 5 SQ | M | M | M | M | M | | | | | | | | | | | | | | | | | | | | | N |
| Vista 5 L5 SQ | M | M | M | M | M | K | | | | | | | | | | | | | | | | | | | | S |
| Vista 5 VL5 SQ | M | M | M | M | M | K | | K | | | | | | | | | | | | | | | | | | S |
| Vista Once SQ | M | M | M | M | M | | | | | M | M | | | | | | | | | | | | | | | N |

DETECT. DEFEND. DELIVER.

CATTLE VACCINE PRODUCT GUIDE**Calf Scours**

Amplimune
Bar-Gard 99
Bovilis Coronavirus
Bovine Ecolizer +C20
Calf Guard
First Defense Bolus, Dried Whey Protein, Gel
First Defense Tri-Shield
ImmunoBoost

Clostridium

Alpha-7 / CD
Bar Vac 7 / CD
Caliber 7
C & D Antitoxin
Clostratox BCD
Clostratox Ultra C 1300
C. Perfringens Type A Toxoid
Covexin 8
Ultrabac 7 / 8 / CD
UltraChoice 7 / 8
Vision 7 / 8 w/Spur

Clostridium & H. Somnus

Bar Vac 7/Somnus
Ultrabac 7/Somubac
Vision 7 / 8 Somnus w/Spur

Clostridium & Tetanus

Bar Vac CD/T
Vision CD + T

Foot Rot

Fusogard

H. Somnus

Somnu Shield

Lepto 5-Way

Leptoferm-5
Lepto Shield 5

Lepto 5-Way & Hardjo-Bovis

Citadel L5
ReproSTAR L5 HB
Spirovac L5

Lepto Hardjo-Bovis

Spirovac

Mastitis Prevention

Bovilis J-5
Endovac-Dairy
Enviracor J-5
J-Vac
KlebVax
Lysigin

Pasteurella

Once PHM IN / SQ
One Shot / BVD
Presponse HM / SQ
Pulmo-Guard PH-M / 1

Pasteurella & Clostridium

One Shot Ultra 7

Pasteurella & Haemophilus

Bar Somnus 2P

Pasteurella & Salmonella

Bo-Bac 2X
Bovi-Sera

Pinkeye

I-Site XP
Maxi/Guard Pinkeye Bacterin
Moraxella Bovoculi Bactrin
Ocu-Guard MB-1
Piliguard Pinkeye-1 Trivalent
Pinkeye Shield XT4
SolidBac Pinkeye IR/PR

Pinkeye & Clostridium

20/20 Vision 7
Alpha-7/MB-1

Respiratory

Bovi-Shield Gold BVD
Bovi-Shield Gold 5
Bovi-Shield Gold FP 5
Bovi-Shield Gold One Shot
CattleMaster Gold FP 5
Express 5
Pyramid 5
Pyramid 5 + Presponse SQ
Titanium 5
Triangle 5
Vira Shield 6
Vista 5 SQ

Respiratory & Intranasal

Bovilis Nasalgen 3
Inforce 3
Nasalgen IP
TSV-2

Respiratory & Lepto

Bovi-Shield Gold FP 5 L5
Bovi-Shield Gold FP 5 L5 HB
CattleMaster Gold FP 5 L5
Express FP 10
Master Guard 10 HB
Pyramid 10
Titanium 5 + L5 HB
Triangle 10 HB
Vira Shield 6 +L5 / HB
Vista 5 L5 SQ

Respiratory, Lepto & Haemophilus

Vira Shield 6 + L5 HB Somus

Respiratory, Lepto & Vibrio

Bovi-Shield FP 5 VL5
CattleMaster 4 VL5
Vira Shield 6 + VL5
Vista 5 VL5 SQ

Respiratory & Mycoplasma

Myco-Bac B

Respiratory & Pasteurella

Nuplura PH
Vista Once SQ

Salmonella

Dublin-Typhimurium Bacterin
Entervene-D
Salmonella Newport - SRP

Scours Prevention

Guardian
Scour Bos 4 / 9
Scour Guard 4KC

Tetanus

Cavalry 9
Tetanus Antitoxin
Tetanus Toxoid

Viral Warts

Wart Vaccine

DETECT. DEFEND. DELIVER.